



### **Dock Leveler Seal Kits**

Pre-packaged kits are designed with a heavy galvanized channel for quick weld installation to help eliminate drafts, dirt and pests from getting in, while keeping debris from falling into the pit (making it excellent for the food industry). Each kit contains two 8' pieces of the galvanized channel, our standard 1" 90° aluminum retainer and an insertion component to meet your specification.

Part Number	Description
DSK10-21-A	1" Vinyl
DSK10-31-A	1 3/8" Vinyl
DSK10-36-A	1 1/8" EPDM
DSK10-66-A	1/2″ Brush
DSK10-67-A	3/4″ Brush
DSK10-68-A	1″ Brush
DSK10-69-A	1 1/2″ Brush
DSK10-70-A	1 3/4″ Brush
DSK10-71-A	2″ Brush
DSK1Z-68-A	1" Zebra Brush
DSK68-RI-A	1" WeatherBlock Brush

 $Xcluder^{\circledast}$  fill, seals, and sweeps are covered under Pat. No. 6,919,117 and/or Pat. No. 9,867,367







DSK10-36




#### **Other Dock Seals**

Part Number	Description
DSK00-08-W	8' Galvanized Ret.
DLRBS-00-W	8' Rear Brush Seal
DLF10-01-W	8' Rear Foam Seal
B0392-01-W	Brush Ring, 1.75"
B0392-00-W	Brush Ring, 2.5"
DKW02-00-W	Dock Wedge pair




DLF10-01







### **Dock Leveler Replacement Seals**

Part Number	Description
PL213-GR-W-7	Dock Leveler Seal, Vinyl, Grey 7' 2″
V2560-BL-W-7	Tee Seal, 1.5″, Black, 7′
V2561-BL-W	Tee Seal, 1.625", Black








### **Bottom Door Gap Seal**

### **Wheel Chocks**

Part Number	Description
LWR00-00-Z	Wheel Chock, Molded Rubber, With Eye Bolt, 6″H X 10″W X 8″L
LWL00-00-Z	Wheel Chock, Laminated Rubber, 8″H X 8″W X 8″L
LWX05-00-Z	Wheel Chock, Connector Chain, 5', w/Attachment Links
LWX15-00-Z	Wheel Chock, Connector Chain, 15', w/Attachment Links





#### **Laminated Dock Bumpers**

Our laminated dock bumpers are the answer when vehicle damage to buildings, loading docks and cargo is occurring. Put a stop to it with these heavy-duty bumpers. Each is constructed of tightly sandwiched pads of recycled truck tires, which are shaped and bound by support rods and steel plates or angles. We supply a variety of models and most bumpers ship within two days.

Part Number	Size	Projection	Weight
L1014-04-Z	10" X 14"	4″	29 lbs.
L1014-06-Z	10" X 14"	6″	43 lbs.
L1024-04-Z	10" X 24"	4″	47 lbs.
L1024-06-Z	10" X 24"	6″	72 lbs.
L1036-04-Z	10" X 36"	4″	72 lbs.
L1214-04-Z	12" X 14"	4″	36 lbs.
L1224-04-Z	12″ X 24″	4″	58 lbs.
L2011-04-Z	20" X 11"	4″	47 lbs.
L2411-04-Z	24" X 11"	4″	59 lbs.



### rodentBLOCK Dock Leveler Seal Kit with Xcluder®

#### Features Xcluder<sup>®</sup> core to provide maximum protection.

- Easy to install fits most common leveler sizes and types
- Simple to replace slide out the old seal & slide in the new seal
- Dependable weather seal that can pay for itself in energy savings
- Fits most levelers up to 96" long

Part Number	Description
109-0034	8' rodentBLOCK Dock Leveler Seal Kit with Xcluder® *

\*Custom kits available for larger levelers. Contact your sales representative for details.

Xcluder® fill, seals, and sweeps are covered under Pat. No. 6,919,117 and/or Pat. No. 9,867,367



### rodentBLOCK Pull Chain Seal by Xcluder®

Completely covers the chain opening on dock levelers preventing mice and rats from using this "built-in ladder" to enter facilities.

- · Easy to install
- Cast aluminum construction
- · Won't interfere with material handling equipment

Part Number	Description
106-0004	1.75" rodentBLOCK Pull Chain Seal by Xcluder®
106-0005	2" rodentBLOCK Pull Chain Seal by Xcluder®
106-0006	2.5" rodentBLOCK Pull Chain Seal by Xcluder®



### rodentBLOCK Dock Leveler Hinge Seal Kit by Xcluder®

Pair with rodentBLOCK Dock Leveler Seal Kit with Xcluder<sup>®</sup> for maximum protection against mice, rats and other pests.

- Solid steel construction
- Stands up to forklift traffic

Part Number	Description
109-0041	7' rodentBLOCK Dock Leveler Hinge Seal Kit by Xcluder®

Xcluder® fill, seals, and sweeps are covered under Pat. No. 6,919,117 and/or Pat. No. 9,867,367





**361-906-0863** • www.elitegaragefloors.com Distributed by: Elite Garage Floors

Xcluder® is a registered trademark of Global Material Technologies, Inc. Used by permission.